AD-A269 403

USAFETAC/PR--93/004





"CLOUDIEST YEAR" STUDY

An Analysis of the 3DNEPH AND RTNEPH Databases

by

BILLY D. BAINTER





APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

DTIC ELECTE SEP 17 1993

93-21692

USAF
ENVIRONMENTAL TECHNICAL
APPLICATIONS CENTER

Scott Air Force Base, Illinois 62225-5116



000

REVIEW AND APPROVAL STATEMENT

AWS/PR-93/004, "Cloudiest Year" Study--An Analysis of the 3DNEPH and RTNEPh Databases, April 1993, has been reviewed and is approved for public release. There is no objection to unlimited distribution of this document to the public at large, or by the Defense Technical Information Center (DTIC) to the National Technical Information Service (NTIS).

MARK SURMEIER

Chief, Special Projects Branch

BILLY D. BAINTER

Writer/Analyst

FOR THE COMMANDER

GEØRGE M. HORN

Asst Scientific and Technical Information

Program Manager

2 April 1993

REPORT DOCUMENTATION PAGE

2. Report Date: April 1993

3. Report Type: Project report

4. <u>Title:</u> "Cloudiest Year" Study--An Analysis of the 3DNEPH and RTNEPH Databases

6. Author: Billy D. Bainter

- 7. <u>Performing Organization Name and Address:</u> United States Air Force Technical Applications Center (USAFETAC), 859 Buchanan St, Scott AFB, IL 62225-5116
- 8. Performing Organization Report Number: AWS/PR--93/004
- 12. <u>Distribution/Availability Statement:</u> Approved for public release; distribution is unlimited.
- 13. <u>Abstract:</u> Describes techniques used to analyze total cloud cover values from the USAF Environmental Technical Applications Center's nephanalysis databases: 3DNEPH and RTNEPH. Object of the study was to determine if total global cloud cover differed significantly on a year-to-year basis. Contoured global maps in an appendix show the results.
- 14. <u>Subject Terms:</u> METEOROLOGY, CLIMATOLOGY, CLOUDS, CLOUD COVER, NEPHANALYSIS, DATABASES, COMPARISONS, EIGHTH-MESH GRID, WHOLE-MESH GRID
- 15. Number of Pages: 25
- 17. Security Classification of Report: Unclassified
- 18. Security Classification of this Page: Unclassified
- 19. Security Classification of Abstract: Unclassified
- 20. Limitation of Abstract: UL

DTIC QUALITY INSPECTED 4

Standard Form 298

Accesi	Accesion For						
NTIS	CRA&I						
UTIC	TAB		$\overline{\Box}$				
Unarın	Unarmounced []						
Justific	Justification						
	By Dist. ibution /						
4	Availability Codes						
Dist	Avail a Spe						
A-1							

PREFACE

This report describes the results of a study undertaken in support of USAFETAC Project 910821, "Cloudiest Year Study." The analyst was Mr Billy D. Bainter, USAFETAC/DOS.

The study was the result of a request from an AF Precedence 1-1 customer who asked for an analysis of USAFETAC's two nephanalysis databases, 3DNEPH and RTNEPH. The customer was concerned that some individual years of cloud data might be unrepresentatively cloudy, perhaps caused by errors in one or both of the nephanalysis models. The specific purpose of the analysis, therefore, was to determine if total global cloud cover differed significantly on a year-to-year basis over a given period of record.

To perform such a study, it was first necessary to reduce the number of eighth-mesh grid points (there were 391,819 of them "on-globe") to a number that would allow cost-effective computation and comparison for the entire 1977-1991 period of record used. "Whole-mesh" grid spacing was used after testing alternatives, such as quarter-and half-mesh.

The study showed that there is no single month in any year that can be said to be the "cloudiest month" worldwide, and that maximum cloud cover varies by year and month according to geographical area. If the customer's concerns were valid, large portions of the globe (if not all of it) would have been identified as having the same "cloudiest year." Instead, the graphics products produced during the study show complex patterns of many different "cloudiest years" over different parts of the world. This conclusion, the result of normal year-to-year and area-to-area climatic variations, was expected.

CONTENTS

	Pa	age
1.	BACKGROUND	1
2.	METHODOLOGY	2
	2.1 Nephanalysis Data	2
	2.2 Periods of Record	
	2.3 Data Type Comparisons	2
	2.4 Data Computations	
	2.5 Data Analysis	3
3.	SUMMARY	5
ΔÞ	ENDIX Monthly Charts Showing Year of Maximum Mean Total Cloud Cover	5

1. BACKGROUND. Nephanalysis data from the Air Force Global Weather Central's (AFGWC's) two nephanalysis models (3-Dimensional Nephanalysis, or 3DNEPH, and Real-Time Nephanalysis, or RTNEPH) has been archived by USAFETAC's Operating Location A at Asheville, NC, since 1973. It has been used and applied by USAFETAC analysts since the data became part of the Air Weather Service's overall operational database.

USAFETAC is frequently asked how one year's nephanalysis data compares with another in terms of global cloudiness. Up to now, that question hasn't been answered because of the immensity of the 3DNEPH and RTNEPH databases. But by combining new technologies with a scheme to reduce data volume, USAFETAC/DOS was recently able to rank data by years and months to determine the existence or non-existence of so-called "cloudiest" periods. The study, the results of which are documented here, used 3DNEPH and RTNEPH data from 1977 to 1991 to determine the years and months with maximum mean total cloudiness.

2. METHODOLOGY

2.1 Nephanalysis Data. The AFGWC automated cloud analysis model became operational in January 1970. First known as "3DNEPH" (3-dimensional nephanalysis), this computer model was developed to allow maximum use of increasing quantities of meteorological cloud information, especially satellite imagery, the heart of the system. The 3DNEPH analysis database is specified at a horizontal resolution of about 25 nautical miles.

The 3DNEPH horizontal grid, a subset of AFGWC'S basic horizontal 200-nm macroscale grid, is one-eighth of the 200-nm grid and therefore referred to as the "eighthmesh" grid. It consists of a 512 by 512 array centered at the poles and oriented on 80 degrees west longitude. The grid is further subdivided into 64 equally sized areas called "3DNEPH boxes."

The 3DNEPH vertical grid consists of 15 layers of varying thickness from the surface to 55,000 feet. These 15 layers are divided into two subsets:

- Six terrain-following layers are specified according to local terrain height.
- The other nine layers are specified with respect to mean sea level.

In late 1983 the Real-Time Nephanalysis (RTNEPH)) model replaced 3DNEPH. The newer model uses the same horizontal grid spacing as the 3DNEPH model, but uses four floating layers in the vertical rather than the 15 fixed layers used in 3DNEPH. In addition, RTNEPH data contains source and diagnostic information that improves quality control.

2.2 Periods of Record. Analyses for eight times a day on each synoptic hour (00, 03, 06, 09, 12, 15, 18, and 21Z) are available from both the 3DNEPH and RTNEPH databases, except during the period January 1977 through July 1978 when only 03, 09, 15, and 21Z data is available for the Southern Hemisphere. The table on the next page shows the POR for each hemisphere and data type.

3


HEMISPHERE	ТҮРЕ	POR
North	3DNEPH	January 73 - December 83
South	3DNEPH	January 77 - December 83
North	RTNEPH	January 84 - Present
South	RTNEPH	January 84 - Present

- 2.3 Data Type Comparisons. The 3DNEPH and RTNEPH models are similar, but the 3DNEPH model used 15 fixed layers in the atmosphere to record cloud data while the RTNEPH model uses four floating layers. Both models use the eighth-mesh polar-stereographic grid. Both provide data of the characteristics of the cloud cover for the grid point(s) in question, but only total cloud-cover value was used in this study.
- 3DNEPH data is archived by "NEPH BOX," with 6 months of data (January-June or July-December) on a 2,400-foot, 9-track tape.
- RTNEPH data is also archived by "NEPH BOX," but with 4 months of data (January-April, May-August, or September- December) on a 2,400-foot, 9-track tape.

For the entire globe and period of record used in this study (1977-1991), there were 1,680 3DNEPH tapes and 5,760 RTNEPH tapes. Together, they represented about 5,000 megabytes of raw data.

2.4 Data Computations. The enormous volume of raw data in these two databases far exceeded the on-line storage capacity of USAFETAC's IBM 3090 mainframe computer. Since all the data was stored on tape, it would have taken about 31 continuous

24-hour days just to *read in* all the data, even if the mainframe were capable of holding it. Therefore, USAFETAC was forced to look for a simpler way to process the data. The simplified method chosen is shown by the diagram below.



Even after simplification, many months were required to process and display the data. SAS software was used, primarily PROC MEANS for determining the mean monthly total cloud cover for each grid point and PROC RANK for ranking the year-months.

The processed data was downloaded from the mainframe to 3.5-inch diskettes, which were then read into an Apple Macintosh IIci computer and SPYGLASS TRANSFORM software for contouring and mapping. The final results are displayed in the appendix as familiar global Mercator projections for easy visual analysis. Although the maps in the appendix are black and white, color versions are available for special applications by calling USAFETAC/DOS, DSN 576-3543.

2.5 Data Analysis. Analysis of the monthly charts, as shown in the table below, showed no apparent trends. This was not a surprise, since cloudiness is expected to vary by year and month from one geographic location or climatic regime to another. other words, there is no one single worldwide "cloudiest year" or "cloudiest month." should be possible to compare these maps with years and months of known weather phenomena (e.g., ENSO or other climatic extremes), but such a comparison was not attempted during this study. Note that 1984 and 1985 show low cloudiness percentages for all months, but USAFETAC does not believe that these low percentages are due to the models; the changes are not that great and the overall trend toward the lower percentages began before the RTNEPH model became operational.

PERCENTAGE OF GRID POINTS WITH THE SAME YEAR AND MONTH OF MAXIMUM TOTAL CLOUD COVER. Asterisks (*) indicate less than 5%.															
	77	78	79	80	81	82	83	84	85	88	87	88	89	90	91
Jan	•	9	6	•	10	8	11	٠	•	5	18	5	7	6	•
Feb	7	11	1	٠	10	8	11	٠	٠	13	8	•	7	6	٠
Mar	•	10	4	10	12	11	13	•	·	15	٠	•	٠	·	
Apr	•	15	•	9	11	6	14	•	•	6	9	•	•	5	•
May	5	11	•	6	6	15	14	٠	•	•	6	છ	•	6	9
Jun	7	6	15	٠	8	7	12	•	·	6	8	5		6	12
Jal	16	8	12	٠	5	7	8	٠	·	6	8	5		6	11
Aug	11	8	9	5	6	10	7	·	•	•	9	10	•	6	1.5
Sep	10	6	10	7	6	11	8	·	·	12	•	•	6	12	
Oct	8	5	7	12	5	19	•	8	7	•	8	·	·	5	7
Nov	6	5	8	14	8	15	٠	5	6	٠	5	•	6	5	8
Dec	7	5	7	15	8	12	٠	•	11	6	6	•	6	5	•

3. SUMMARY. Using the methods outlined in this report, it was possible to process and analyze the 3DNEPH and RTNEPH databases for the entire period of record. This study only determined a general comparison of the two databases; we did not, for example, determine a year and month with the highest mean total cloud cover that covered the largest geographical area. Using similar methods, however, it should be possible to do an in-depth statistical study for limited


geographical areas and the entire period of record. It should also be possible to use the data from this study to determine if and how a particular climatic event such as an ENSO or volcanic eruption might have affected a specific area or the entire planet. Further study and advanced statistical assessment is required, however, to answer specific questions relating to the models and cloud cover.

APPENDIX


MONTHLY YEAR OF MAX MEAN TOTAL CLOUD COVER

FROM 3DNEPH AND RTNEPH DATABASES

Study results month-by-month) are displayed in the appendix as familiar global Mercator projections for easy visual analysis. Although the maps are black and white, color versions are available for special applications by calling USAFETAC/DOS, DSN 576-3543.







































DISTRIBUTION

HQ USAF/XOOCW, Rm BD927, Washington, DC 20330-5054
OSAF/SS, Rm 4C1052, Pentagon, Attn: Weather, Washington, DC 20330-6560
USTC J3/J4-OW, 508 Scott Dr., Bldg 1900, Scott AFB, IL 62225-5357
AWS/XTX/DO, 102 Losey St., Bldg 1521, Scott AFB, IL 62225-5118
Det 3, DOXW, PO Box 95004, Henderson, NV 89009-5004
Det 4, AWS, Bldg 91027, Hurlburt Fld, Fi. 32544-5000 1
Det 5, HQ AWS, Keesler AFB, MS 39534-5000
OL-B, HQ AWS, Hanscom AFB, MA 01731-5000 1
OL-K, HQ AWS, NEXRAD, 1200 Westheimer Dr., Norman, OK 73069-7902
OL-N, HQ AWS, ASL(SLCAS-BW-W), Bldg 1646, Rm 24, Missile Range, White Cands, NM 88002-5501
HQ AFGWC/DOM/5Y, MBB39, 106 Peacekeeper Dr., Ste 2N3, Offutt AFB, NE 86113-4039
Det 7, AFGWC, E and 2nd St., Bldg 1750, Carswell AFB, TX 76127-5000 1
Det 11, AFGWC, Hickam AFB, HI 96853-5000
Det 40, AFGWC, APO AE 09494-5361 1
AFSFC/DOM, 715 Kepler Ave, Box 60, Falcon AFB, CO 80912-7160
OL-A, AFSFC, RE SE2, 325 Broadway, Boulder CO 80303-3328
Det 2, AFSFC, PO Box 2517, S. Hamilton, MA 01982-0517
Det 3, AFSFC, PO Box 261. Ramey Solar Obs, PO Box 261, ramey PR 00604-0261
Det 4, AFSFC, Observatory Rd., Bldg 912, Holloman AFB, NM 8833u-5000
Det 5, AFSFC, Palehua Solar Obs Lab, Hickam AFB, HI 96853-5000 1
Det 8, AFSFC, Unit 6270, PSC 55, APO AE 09605-5000
Det 9, AFSFC, PSC 465, Learmonth Solar Obs, FPO AP 96550-2910
USAFETAC/DOL, 859 Buchanan St, Bldg 859, Scott AFB, IL 62225-5116
OL-A, USAFETAC, Federal Building, Rm 305, Asheville, NC 28801-2723
NCDC Library (D542X2), Federal Building, Asheville, NC 28801-2723
HQUSSPACECOM/J3W, 250 S. Peterson Blvd, STE 317, Bldg 1, Stop 7, Peterson AFB, CO 80914-3230 1
45WS, Bldg 423, C. St., Parrick AFB, FL 32925-6537 1
AFTAC/DOW/TN, 1030 Highway A1A, Patrick AFB, FL 32925-3002
30WS, Coral Rd., Bldg 21150, Vandenberg AFB, CA 93437-5000
21OSS/OGSW, Hamilton Rd., Stop 22, Peterson AFB, CO 80914-5000
SSD/MWA, PO Box 92966, Los Angeles, CA 90009-2960
SSD/IMO, PO Box 92960, Los Angeles, CA 90009-2960
SM-ALC/LH-AWS, McClellan AFB, CA 95652-5609
USAICS, Attn: ATSI-CDW, Ft Huachuca, AZ 85613-6000
Det 2, SMC/TDOR (Weather), 1080 Lockheed Way, Box 007, Eldg 1001, Onizuka AFB, Sunnyvale, CA 94088-1230 1
OD 4/DX, Onizuka AFB, CA 94088-3430 1
SSD OD 4, Onizuka AFB, CA 94088-3430
Det 3, Space Systems, Bldg 430, Stop 77, Buckley ANGB, CO 80011-9599
USAFA/DFP, Attn: Capt Paul Bellaire, Colorado Springs, CO 80840-5701
USAFA Dept of Economics & Geography, Colorado Spings, CO 80840-5701
AFMC/DOW, Bldg 266, Post 108P Chidlaw Rd., Wright-Patterson AFB, OH 45433-5001 1
FASTC/TAW, 4115 Hebble Creek Rd., Ste 33, Wright-Patterson AFB, OH 45433-5637
ASD/WE, Bldg 91, 3rd St, Wright-Patterson AFB, OH 45433-6503
AFIT/CIR, Wright-Patterson AFB, OH 45433-6583
WL/DOA, Wright-Patterson AFB, OH 45433-6543
WL/DOW, Wright Patterson AFB, OH 45433-6543
645 WS/CC, Wright Patterson AFB, OH 45433-5000
46 I:3/WE, Holloman AFB, NM 88330-5000
PL/WE, Virtland AFB, NM 87117-5000
HQ AFO LEC/WE, Kirtland AFB, NM 87117-7001
RL/WE, Griffiss AFB, NY 13441-5700
ROME LAB/SUL, Corridor W, Ste 262, 26 Electronic Pkwy, Griffiss AFB, NY 13441-4514
AFCESA/WE, Tyndall AFB, FL 32403-5000
325 OSS/OSW, Florida Ave. Stop 22 Bldg 149 Tyndall AFB 11, 32403-5048

AFESC/RDXT, Bldg. 1120, Stop 21, Tyndall AFB, FL 32403-5000
ESD/WE, Vandenberz Dr., Bldg 1624, Hanscom AFB, MA 01731-5000
PL/TSML, Research Library, Hanscom AFB, MA 01731-5000
PL/GP, Hansom AFB, MA 01731-5000
46 WS/CC, Eglin AFB,FL 31542-5000
AFFTC/WE, Edwards AFB, CA 93523-5000
SMC/SDW, PO Box 92960, Bldg 117, El Segundo, Los Angeles AFB, CA 90009-2960
UTTR/WE, Hill AFB, UT 84056-5000
USAFA/CWOSW, Air Field Dr., Bldg 9206, USAF Academy, CO 80840-5000
USCENTCOM/CCJ3-W, Bldg 540, MacDill Blvd, MacDill AFB, FL 33608-7001
ESMC/WE, Patrick AFB, FL 32925-5000
OL-A, AFCOS, Site R, Fort Ritchie, MD 21719-5010
USAFALCENT RA, Pope AFB, NC 28308-5000
CCSO/FL, Tinker AFB, OK 73145-6340
AFOSR/NL, Bolling AFB, DC 20332-5000
TFWC/WE, Nellis AFB, NV 89191-5000
SMC, Det 2/TDO, Onizuka AFB CA 94088-3430
AL/OEBE, 2402 East Drive, Brooks AFB, TX 78235-5114
Dept of Economics and Geography, USAFA, Colorado Springs, CO 80840
AMC/XOWR, Bldg P40 N, 402 Scott Dr., Rm 132, Scott AFB, IL 62225-5363
ATC/DOTW, 244 F Street East, Suite #3, Randolph AFB, TX 78150-4325
CFA, C-2/SWO, AP0 AP 96258-0210
603 ACCS/WE, Unit 2051, APO AP 96278-5000
8OSS/WX, APO AP 96264-5000
PACAF/DOW, Bldg 1102, Hickam AFB, HI 96853-5000
Det 1, HQ PACAF, COMNAVMAR, PSC 489, Box 20, FPO AP 96540-0051
11 OPG/WE, 6900 9th Ste 205, Elmendorf AFB, AK 99506-5000
3 OSS/WE, 7th St., Bldg 32235, Elmendorf AFB, AK 99506-5000
USSTRATCOM/J3615, Rm L127, Bldg 522, 901 SAC Blvd, Offutt AFB, NE 68113-5000
ACC/DOW, Bldg 21, 30 Elm St, Ste 215, Langley AFB, VA 23655-2093
24WS, Unit 0640, APO AA 34001-5000
9 COS/AOSW, Bldg 1130, Shaw Dr., Shaw AFB, SC 29152-5410
1TSI/CDW, US Army Intel, Ft Huachuca AI, AZ 85613-5000
1 WXG, Bldg 168, Hardee St., Ft McPherson, GA 30300-5000
JSOC/Weather, P.O. Box 70239, Ft Bragg, NC 28307-5000
USAFE/DOW, Unit 3050, Box 15, APO AE 09094-5015
USAFE/DOWO, Unit 3050, Box 500, APO AE 09094-5015
17AF/DOW, Unit 4065, APO AE 09136-5000
HQ USEUCOM ECJ3, Unit 30400, Box 1000, APO AE 09!28-4209
7WS, CINCUSAREUR/AREAWX, APO AE 09403-5000
Army Training and Doctrine Command, ATDO-IW (ATTN: SWO), Ft Monroe VA 23651-5000
COMNAVOCEANCOM, Code N3!2, Stennis Space Ctr, MS 39529-5000
COMNAVOCEANCOM (Capt Brown, Code N332), Stennis Space Ctr, MS 39529-5001
NAVOCEANO (Barnie Rau), Bldg 8100, Rm 203D, Stennis Space Ctr, MS 39522-5001
NAVOCEANO, Code 9220 (Tony Ortolano), Stennis Space Ctr, MS 39529-5001
Maury Oceanographic Library, Naval Oceanography Office, Stennis Space Ctr, MS 39522-5001
Naval Research Laboratory, Monterey, CA 93943-5006
Naval Research Laboratory, Code 4323, Washington, DC 20375
Naval Postgraduate School, Chmn, Dept of Meteorology, Code 63, Monterey, CA 93943-5000
Naval Eastern Oceanography Ctr (Clim Section), U117 McCAdy Bldg, Norfolk NAS, Norfolk, VA 23511-5000
Naval Western Oceanography Ctr, Box 713, Attn: Tech Library, Pearl Harbor, HI 96860-5000
Commanding Officer, Naval Polar Oceanography Center, 4391 Suitland Road, FOB #4, Washington, DC 20395-5108
Naval Oceanography Command Ctr, COMNAVMAR Box 12, FPO San Francisco, CA 96630-5000
Commanding Officer, Naval Oceanography Command Ctr, PSC 819, Box 13, FPO AE, 09645-3200
NAVOCEANCOMDET, Federal Building, Asheville, NC 28801-2696
NAVOCEANCOMDET, Patuxent River NAS, MD 20670-5103

NAVOCEANCOMFAC, NAS North Island, San Diego, CA 92135-5130
Naval Air Warfare Center-Wpns Div, Geophysical Sciences Br, Code 3254, Point Mugu, CA 93042-5001
Armed Forces Medical Intel Ctr, InfoSvcs Div, Bldg 1607, Ft Detrick, Frederick, MD 21702-5004
Chief, APG Met Team, Bldg 1134, Attn: AMSTE-TC-AM CAB, Aberdeen Proving Ground, MD 21005-5001
Atmospheric Sciences Laboratory (SLCAS-AS-I 3 10-2c), White Sands Missile Range, NM 88002-5501
TECOM Atmos Sci Div, AMSTE-TC-AA (MacBlain), White Sands Missile Range, NM 88002-5504
White Sands Met Team, AMSTE-TC-AM (WS), White Sands Missile Range, NM 88002-5501 1
USA TECOM, ATTN: AMSTE-TC-AM (RE) TECOM Met Team, Redstone Arsenal, AL 35898-8052
Director, U.S.ACETEC, Attn: GL-AE (Whitmarsh), Fort Belvoir, VA 22060-5546
Technical Library, Dugway Proving Ground, Dugway, UT 84022-5000
HQ NATO Staff Meteorological Officer IMS/OPS APO AE 09724
NOAA/MASC Library MC5, 325 Broadway, Boulder, CO 80303-3328
NOAA Library-EOC4W5C4, Attn: ACQ, 6009 Executive Blvd, Rockviile, MD 20852
NOAA/NESDIS (Attn: Nancy Everson, E/RA22), World Weather Bldg, Rm 703, Washington, DC 20233
NGDC, NOAA, Mail Code E/GC4, 325 Broadway, Boulder, CO 80333-3328
NWS W/OSD, Bldg SSM C-2 East-West Hwy, Silver Spring, MD 20910
NIST Pubs Production, Rm A635, Admin Bldg, Gaithersburg, MD 20899
NASA-MSFC-ES44, Attn: Dale Johnson, Huntsville, AL 35812-5000
DTIC-FDAC, Cameron Station, Alexandria, VA 22304-6145
AUL/LSE, Maxwell AFB, AL 36112-5564